

NOCTA

Lighting Collection 2027

ARCHITECTURAL & DECORATIVE LIGHTING

01 *Orbit*

02 *Halo*

03 *Linea*

04 *Arc*

05 *Disc*


06 *Point*

07 *Muse*

08 *Stem*

09 *Pier*

10 *Beam*



Designed to be seen off, made to disappear on.

NOCTA makes light fittings for architects, interior designers and the people who live with their work. Every family in this catalogue is drawn in our Copenhagen studio, engineered with our own optics and assembled by hand in Denmark.

Each family opens with a photograph, followed by its technical sheet: symbols, a scaled drawing, colour temperature and every variant with its price. The full price list closes the catalogue.

— *The NOCTA studio*

CONTENTS

01 *Pendants*

01	Orbit	Studio Nocta	04
02	Halo	Ana Ferreira	06
03	Linea	Studio Nocta	08

02 *Wall & Ceiling*

04	Arc	Ana Ferreira	10
05	Disc	Studio Nocta	12
06	Point	Jonas Brandt	14

03 *Table & Floor*

07	Muse	Ana Ferreira	16
08	Stem	Jonas Brandt	18

04 *Outdoor*

09	Pier	Studio Nocta	20
10	Beam	Jonas Brandt	22


–	Reading this catalogue	03
–	Price list & index	24

Reading this catalogue

Every technical sheet opens with the same row of symbols. Values show the range across all variants of the family; the variants table gives the exact figures for each code.

	POWER Total rated power of the fitting, including the driver.
	COLOUR TEMP. Warmth of the white light in kelvin. Lower is warmer; 2700 K matches an incandescent bulb.
	PROTECTION Resistance to dust and water. See the ratings below.
	DIMMING The control protocol: phase-cut for wall dimmers, DALI for building systems, or a built-in dimmer.

	LUMINOUS FLUX The light the fitting delivers, measured in lumens at the fitting, not at the lamp.
	COLOUR RENDERING How faithfully colours appear under the light, on a scale to 100. Ra 90 and above is excellent.
	LIGHT SOURCE Integrated LED module, or the lamp base for a replaceable bulb.



PROTECTION RATINGS

IP20 Indoor, dry rooms. Protected against fingers, not against water.	IP44 Splash-proof. Bathrooms outside the shower zone, covered porches.	IP65 Dust-tight and protected against water jets. Gardens and facades.
---	--	--

FINISHES

 Opal glass	 Brushed brass	 Matt black	 Chalk white
 Anodised aluminium	 Opal	 Linen	 Graphite
 Corten			



01 / 10

Orbit

DESIGN *Studio Nocta*

A single bubble of hand-blown opal glass, mouth-blown in Bohemia and hung from a slim brass canopy. It spreads a soft, even light in every direction, like a paper lantern made permanent.

SECTION 01

Pendants

Light hung at eye level shapes a room more than any other fitting. Our pendants are designed to be seen switched off, and to disappear into their own glow when switched on.

01 — PENDANTS

Orbit

DESIGN *Studio Nocta*

5 VARIANTS • FROM €290



8-24 W
POWER



806-2,418 lm
LUMINOUS FLUX



2700 K
COLOUR TEMP.



90 Ra
COLOUR RENDERING



IP20
PROTECTION



E27
LIGHT SOURCE



Phase-cut
DIMMING





FIG. 01 — ORBIT PENDANT Ø250 • DIMENSIONS IN MM

A single bubble of hand-blown opal glass, mouth-blown in Bohemia and hung from a slim brass canopy. It spreads a soft, even light in every direction, like a paper lantern made permanent.



FINISHES

○ Opal glass ● Brushed brass ● Matt black

CODE	VARIANT	DIMENSIONS	W	LM	K	RA	FINISH	PRICE
PD-101	Orbit Pendant Ø250	Ø 250 × H 250 mm	8	806	2700	90	○ ● Opal glass / brushed b...	€290
PD-102	Orbit Pendant Ø350	Ø 350 × H 350 mm	12	1521	2700	90	○ ● Opal glass / brushed b...	€390
PD-103	Orbit Pendant Ø450	Ø 450 × H 450 mm	15	2000	2700	90	○ ● Opal glass / brushed b...	€520
PD-104	Orbit Pendant Ø350	Ø 350 × H 350 mm	12	1521	2700	90	○ ● Opal glass / matt black	€390
PD-105	Orbit Cluster of Three	Ø 700 × H 400 mm	24	2418	2700	90	○ ● Opal glass / brushed b...	€980



02 / 10

Halo

DESIGN *Ana Ferreira*

A shallow dome spun from a single sheet of brass, with a glare-free LED ring hidden deep inside. Over a table it throws a precise pool of light and nothing into your eyes.

02 — PENDANTS

Halo

DESIGN *Ana Ferreira*

5 VARIANTS • FROM €460



14–32 W
POWER



1,250–2,850
lm
LUMINOUS FLUX



2700 / 3000 K
COLOUR TEMP.



95 Ra
COLOUR
RENDERING




IP20
PROTECTION




LED
integrated
LIGHT SOURCE



DALI / phase-
cut
DIMMING



A shallow dome spun from a single sheet of brass, with a glare-free LED ring hidden deep inside. Over a table it throws a precise pool of light and nothing into your eyes.



FINISHES

● Brushed brass ● Matt black ○ Chalk white

CODE	VARIANT	DIMENSIONS	W	LM	K	RA	FINISH	PRICE
PD-201	Halo Pendant Ø300	Ø 300 × H 150 mm	14	1250	2700	95	● Brushed brass	€460
PD-202	Halo Pendant Ø450	Ø 450 × H 200 mm	22	1980	2700	95	● Brushed brass	€640
PD-203	Halo Pendant Ø600	Ø 600 × H 260 mm	32	2850	2700	95	● Brushed brass	€890
PD-204	Halo Pendant Ø450	Ø 450 × H 200 mm	22	2050	3000	95	● Matt black	€640
PD-205	Halo Pendant Ø450	Ø 450 × H 200 mm	22	1980	2700	95	○ Chalk white	€640



03 / 10

Linea

DESIGN *Studio Nocta*

An extruded aluminium line with a micro-prismatic diffuser, for long tables, kitchen islands and workspaces. Suspension wires adjust to 2 m and runs can be joined end to end.


03 — PENDANTS

Linea


DESIGN *Studio Nocta*

5 VARIANTS • FROM €720

						
24-40 W POWER	2,900-4,800 lm LUMINOUS FLUX	3000 / 4000 K COLOUR TEMP.	90 Ra COLOUR RENDERING	IP20 PROTECTION	LED integrated LIGHT SOURCE	DALI DIMMING



An extruded aluminium line with a micro-prismatic dif-fuser, for long tables, kitchen islands and workspaces. Suspension wires adjust to 2 m and runs can be joined end to end.



FINISHES

 Anodised aluminium  Matt black

CODE	VARIANT	DIMENSIONS	W	LM	K	RA	FINISH	PRICE
PD-301	Linea Suspension 900	900 × 40 × H 60 mm	24	2900	3000	90	 Anodised aluminium	€720
PD-302	Linea Suspension 1200	1200 × 40 × H 60 mm	32	3900	3000	90	 Anodised aluminium	€880
PD-303	Linea Suspension 1500	1500 × 40 × H 60 mm	40	4800	3000	90	 Anodised aluminium	€1,040
PD-304	Linea Suspension 1200	1200 × 40 × H 60 mm	32	3900	3000	90	 Matt black	€880
PD-305	Linea Suspension 1200	1200 × 40 × H 60 mm	32	4100	4000	90	 Anodised aluminium	€880



04 / 10

Arc

DESIGN *Ana Ferreira*

A half-cylinder of brushed brass that washes the wall in two soft fans of light, up and down. Mounted in a row along a corridor, it turns a plain wall into architecture.

SECTION 02

Wall & Ceiling

Fittings that belong to the building: wall and ceiling lights that sit flush and quiet, and do their work on the surfaces around them.

04 - WALL & CEILING

Arc

DESIGN *Ana Ferreira*

4 VARIANTS • FROM €310



9-12 W
POWER



720-1,050 lm
LUMINOUS FLUX



2700 K
COLOUR TEMP.



90 Ra
COLOUR
RENDERING




IP20
PROTECTION



LED
integrated
LIGHT SOURCE



Phase-cut
DIMMING



A half-cylinder of brushed brass that washes the wall in two soft fans of light, up and down. Mounted in a row along a corridor, it turns a plain wall into architecture.



FINISHES

● Brushed brass ● Matt black ○ Chalk white

CODE	VARIANT	DIMENSIONS	W	LM	K	RA	FINISH	PRICE
WL-101	Arc Wall 200	W 120 × D 90 × H 200 mm	9	720	2700	90	● Brushed brass	€310
WL-102	Arc Wall 300	W 120 × D 90 × H 300 mm	12	1050	2700	90	● Brushed brass	€380
WL-103	Arc Wall 200	W 120 × D 90 × H 200 mm	9	720	2700	90	● Matt black	€310
WL-104	Arc Wall 300	W 120 × D 90 × H 300 mm	12	1050	2700	90	○ Chalk white	€380



05 / 10

Disc

DESIGN *Studio Nocta*

A slim opal disc that sits almost flush to the ceiling. Rated IP44, so the same fitting runs from hallway to bathroom without a change of look.

05 - WALL & CEILING

Disc

DESIGN *Studio Nocta*

5 VARIANTS • FROM €240



18-34 W
POWER



1,800-3,400 lm
LUMINOUS FLUX



2700 / 3000 K
COLOUR TEMP.



90 Ra
COLOUR RENDERING



IP44
PROTECTION



LED integrated
LIGHT SOURCE



Phase-cut
DIMMING




FIG. 05 - DISC CEILING Ø300 - DIMENSIONS IN MM

A slim opal disc that sits almost flush to the ceiling. Rated IP44, so the same fitting runs from hallway to bathroom without a change of look.



FINISHES

☐ Opal ☐ Chalk white ☒ Brushed brass

CODE	VARIANT	DIMENSIONS	W	LM	K	RA	FINISH	PRICE
CL-201	Disc Ceiling Ø300	Ø 300 × H 50 mm	18	1800	3000	90	☐ ☐ Opal / chalk white	€240
CL-202	Disc Ceiling Ø400	Ø 400 × H 50 mm	26	2600	3000	90	☐ ☐ Opal / chalk white	€320
CL-203	Disc Ceiling Ø500	Ø 500 × H 55 mm	34	3400	3000	90	☐ ☐ Opal / chalk white	€410
CL-204	Disc Ceiling Ø400	Ø 400 × H 50 mm	26	2500	2700	90	☐ ☐ Opal / chalk white	€320
CL-205	Disc Ceiling Ø400	Ø 400 × H 50 mm	26	2600	3000	90	☐ ☒ Opal / brushed brass	€360



06 / 10

Point

DESIGN *Jonas Brandt*

A turned aluminium cylinder that tilts 90° and turns 355°. A deep-set lamp and honeycomb louvre keep the source out of sight while the beam picks out a painting, a shelf or a plant.

06 – WALL & CEILING

Point

DESIGN *Jonas Brandt*

5 VARIANTS • FROM €150



7-10 W
POWER



560-850 lm
LUMINOUS FLUX



2700 / 3000 K
COLOUR TEMP.



97 Ra
COLOUR RENDERING




IP20
PROTECTION




GU10
LIGHT SOURCE



Phase-cut
DIMMING



A turned aluminium cylinder that tilts 90° and turns 355°. A deep-set lamp and honeycomb louvre keep the source out of sight while the beam picks out a painting, a shelf or a plant.



FINISHES

● Matt black ○ Chalk white ● Brushed brass

CODE	VARIANT	DIMENSIONS	W	LM	K	RA	FINISH	PRICE
CL-301	Point Spot Ø80	Ø 80 × H 120 mm	7	560	2700	97	● Matt black	€150
CL-302	Point Spot Ø80	Ø 80 × H 120 mm	7	580	3000	97	○ Chalk white	€150
CL-303	Point Spot Ø100	Ø 100 × H 160 mm	10	850	2700	97	● Matt black	€190
CL-304	Point Spot Ø100	Ø 100 × H 160 mm	10	850	2700	97	● Brushed brass	€210
CL-305	Point Track Ø100	Ø 100 × H 200 mm	10	850	2700	97	● Matt black	€230



07 / 10

Muse

DESIGN *Ana Ferreira*

An opal glass cap on a slender brass stem. A touch on the base steps through three levels of warm light, from reading light to candle glow.

SECTION 03

Table & Floor

Lamps that move with you: to the reading chair, the bedside or the terrace table, and light the corner of a room where people actually sit.

07 - TABLE & FLOOR

Muse

DESIGN *Ana Ferreira*

4 VARIANTS • FROM €190

						
3-9 W POWER	250-700 lm LUMINOUS FLUX	2700 K COLOUR TEMP.	90 Ra COLOUR RENDERING	IP20 / IP44 PROTECTION	LED integrated LIGHT SOURCE	Touch dimmer DIMMING



An opal glass cap on a slender brass stem. A touch on the base steps through three levels of warm light, from reading light to candle glow.



FINISHES

☐ Opal glass ☒ Brushed brass ☐ Chalk white

CODE	VARIANT	DIMENSIONS	W	LM	K	RA	FINISH	PRICE
TB-101	Muse Table Lamp	Ø 230 × H 320 mm	6	470	2700	90	☒ Opal glass / brushed b...	€340
TB-102	Muse Table Lamp Large	Ø 300 × H 420 mm	9	700	2700	90	☒ Opal glass / brushed b...	€460
TB-103	Muse Portable	Ø 150 × H 220 mm	3	250	2700	90	☒ Opal glass / brushed b...	€190
TB-104	Muse Table Lamp	Ø 230 × H 320 mm	6	470	2700	90	☐ Opal glass / chalk white	€340



08 / 10

Stem

DESIGN *Jonas Brandt*

A steel stem no thicker than a pencil, a weighted cast-iron base and a linen cone that filters the light to a soft amber. Assembled in seconds, it is stable enough for a busy room.

08 – TABLE & FLOOR

Stem

DESIGN *Jonas Brandt*

4 VARIANTS • FROM €540



8-12 W
POWER



800-1,100 lm
LUMINOUS FLUX



2700 K
COLOUR TEMP.



90 Ra
COLOUR
RENDERING



IP20
PROTECTION



E27
LIGHT SOURCE



Foot dimmer
DIMMING




FIG. 08 – STEM FLOOR LAMP • DIMENSIONS IN MM

A steel stem no thicker than a pencil, a weighted cast-iron base and a linen cone that filters the light to a soft amber. Assembled in seconds, it is stable enough for a busy room.



FINISHES

● Matt black ● Linen ● Brushed brass

CODE	VARIANT	DIMENSIONS	W	LM	K	RA	FINISH	PRICE
FL-201	Stem Floor Lamp	Ø 400 × H 1600 mm	12	1100	2700	90	● ● Matt black / linen	€690
FL-202	Stem Floor Lamp Tall	Ø 400 × H 1800 mm	12	1100	2700	90	● ● Matt black / linen	€760
FL-203	Stem Reading Lamp	Ø 250 × H 1350 mm	8	800	2700	90	● ● Matt black / linen	€540
FL-204	Stem Floor Lamp Tall	Ø 400 × H 1800 mm	12	1100	2700	90	● ● Brushed brass / linen	€760



09 / 10

Pier

DESIGN *Studio Nocta*

A marine-grade aluminium bollard with a louvred head that throws light down onto the path and none into the night sky. Dark-sky compliant and rated IP65.

SECTION 04

Outdoor

Built for rain, frost and salt air: powder-coated marine aluminium, stainless fixings and sealed optics, tuned to light the ground rather than the sky.

09 – OUTDOOR

Pier

DESIGN *Studio Nocta*

4 VARIANTS • FROM €360



6-10 W
POWER



420-700 lm
LUMINOUS FLUX



2700 / 3000 K
COLOUR TEMP.



80 Ra
COLOUR
RENDERING



IP65
PROTECTION



**LED
integrated**
LIGHT SOURCE



Non-dimmable
DIMMING





FIG. 09 – PIER BOLLARD 600 • DIMENSIONS IN MM

A marine-grade aluminium bollard with a louvred head that throws light down onto the path and none into the night sky. Dark-sky compliant and rated IP65.



FINISHES

● Graphite ● Corten

CODE	VARIANT	DIMENSIONS	W	LM	K	RA	FINISH	PRICE
OD-101	Pier Bollard 600	Ø 150 × H 600 mm	8	560	3000	80	● Graphite	€420
OD-102	Pier Bollard 900	Ø 150 × H 900 mm	10	700	3000	80	● Graphite	€520
OD-103	Pier Bollard 600	Ø 150 × H 600 mm	8	540	2700	80	● Corten	€460
OD-104	Pier Bollard 400	Ø 150 × H 400 mm	6	420	3000	80	● Graphite	€360



10 / 10

Beam

DESIGN *Jonas Brandt*

Two sealed optics in one short cylinder draw crisp lines of light up and down a facade. Narrow 30° beams make a rhythm of light along a wall at night.

10 — OUTDOOR

Beam

DESIGN *Jonas Brandt*

5 VARIANTS • FROM €210



6-20 W
POWER



450-1,500 lm
LUMINOUS FLUX



2700 / 3000 K
COLOUR TEMP.



80 Ra
COLOUR
RENDERING




IP65
PROTECTION




LED
integrated
LIGHT SOURCE



Phase-cut
DIMMING



Two sealed optics in one short cylinder draw crisp lines of light up and down a facade. Narrow 30° beams make a rhythm of light along a wall at night.



FINISHES

Graphite Corten Chalk white

CODE	VARIANT	DIMENSIONS	W	LM	K	RA	FINISH	PRICE
OD-201	Beam Up/Down 150	Ø 90 × H 150 mm	12	900	3000	80	Graphite	€260
OD-202	Beam Down 150	Ø 90 × H 150 mm	6	450	3000	80	Graphite	€210
OD-203	Beam Up/Down 250	Ø 90 × H 250 mm	20	1500	3000	80	Graphite	€340
OD-204	Beam Up/Down 150	Ø 90 × H 150 mm	12	880	2700	80	Corten	€290
OD-205	Beam Up/Down 150	Ø 90 × H 150 mm	12	900	3000	80	Chalk white	€260

Price list & index

PRICES IN EUR, EXCL. VAT

CODE	VARIANT	W	LM	K	RA	IP	SOURCE	FINISH	PRICE	PAGE
01	Orbit PENDANTS									05
PD-101	Orbit Pendant Ø250	8	806	2700	90	IP20	E27	  Opal glass / brushed brass	€290	05
PD-102	Orbit Pendant Ø350	12	1521	2700	90	IP20	E27	  Opal glass / brushed brass	€390	05
PD-103	Orbit Pendant Ø450	15	2000	2700	90	IP20	E27	  Opal glass / brushed brass	€520	05
PD-104	Orbit Pendant Ø350	12	1521	2700	90	IP20	E27	  Opal glass / matt black	€390	05
PD-105	Orbit Cluster of Three	24	2418	2700	90	IP20	E27	  Opal glass / brushed brass	€980	05
02	Halo PENDANTS									07
PD-201	Halo Pendant Ø300	14	1250	2700	95	IP20	LED integrated	 Brushed brass	€460	07
PD-202	Halo Pendant Ø450	22	1980	2700	95	IP20	LED integrated	 Brushed brass	€640	07
PD-203	Halo Pendant Ø600	32	2850	2700	95	IP20	LED integrated	 Brushed brass	€890	07
PD-204	Halo Pendant Ø450	22	2050	3000	95	IP20	LED integrated	 Matt black	€640	07
PD-205	Halo Pendant Ø450	22	1980	2700	95	IP20	LED integrated	 Chalk white	€640	07
03	Linea PENDANTS									09
PD-301	Linea Suspension 900	24	2900	3000	90	IP20	LED integrated	 Anodised aluminium	€720	09
PD-302	Linea Suspension 1200	32	3900	3000	90	IP20	LED integrated	 Anodised aluminium	€880	09
PD-303	Linea Suspension 1500	40	4800	3000	90	IP20	LED integrated	 Anodised aluminium	€1,040	09
PD-304	Linea Suspension 1200	32	3900	3000	90	IP20	LED integrated	 Matt black	€880	09
PD-305	Linea Suspension 1200	32	4100	4000	90	IP20	LED integrated	 Anodised aluminium	€880	09
04	Arc WALL & CEILING									11
WL-101	Arc Wall 200	9	720	2700	90	IP20	LED integrated	 Brushed brass	€310	11
WL-102	Arc Wall 300	12	1050	2700	90	IP20	LED integrated	 Brushed brass	€380	11
WL-103	Arc Wall 200	9	720	2700	90	IP20	LED integrated	 Matt black	€310	11
WL-104	Arc Wall 300	12	1050	2700	90	IP20	LED integrated	 Chalk white	€380	11
05	Disc WALL & CEILING									13
CL-201	Disc Ceiling Ø300	18	1800	3000	90	IP44	LED integrated	  Opal / chalk white	€240	13
CL-202	Disc Ceiling Ø400	26	2600	3000	90	IP44	LED integrated	  Opal / chalk white	€320	13
CL-203	Disc Ceiling Ø500	34	3400	3000	90	IP44	LED integrated	  Opal / chalk white	€410	13
CL-204	Disc Ceiling Ø400	26	2500	2700	90	IP44	LED integrated	  Opal / chalk white	€320	13

CODE	VARIANT	W	LM	K	RA	IP	SOURCE	FINISH	PRICE	PAGE
CL-205	Disc Ceiling Ø400	26	2600	3000	90	IP44	LED integrated	Opal / brushed brass	€360	13
06	<i>Point</i> WALL & CEILING									15
CL-301	Point Spot Ø80	7	560	2700	97	IP20	GU10	Matt black	€150	15
CL-302	Point Spot Ø80	7	580	3000	97	IP20	GU10	Chalk white	€150	15
CL-303	Point Spot Ø100	10	850	2700	97	IP20	GU10	Matt black	€190	15
CL-304	Point Spot Ø100	10	850	2700	97	IP20	GU10	Brushed brass	€210	15
CL-305	Point Track Ø100	10	850	2700	97	IP20	GU10	Matt black	€230	15
07	<i>Muse</i> TABLE & FLOOR									17
TB-101	Muse Table Lamp	6	470	2700	90	IP20	LED integrated	Opal glass / brushed brass	€340	17
TB-102	Muse Table Lamp Large	9	700	2700	90	IP20	LED integrated	Opal glass / brushed brass	€460	17
TB-103	Muse Portable	3	250	2700	90	IP44	LED integrated	Opal glass / brushed brass	€190	17
TB-104	Muse Table Lamp	6	470	2700	90	IP20	LED integrated	Opal glass / chalk white	€340	17
08	<i>Stem</i> TABLE & FLOOR									19
FL-201	Stem Floor Lamp	12	1100	2700	90	IP20	E27	Matt black / linen	€690	19
FL-202	Stem Floor Lamp Tall	12	1100	2700	90	IP20	E27	Matt black / linen	€760	19
FL-203	Stem Reading Lamp	8	800	2700	90	IP20	E27	Matt black / linen	€540	19
FL-204	Stem Floor Lamp Tall	12	1100	2700	90	IP20	E27	Brushed brass / linen	€760	19
09	<i>Pier</i> OUTDOOR									21
OD-101	Pier Bollard 600	8	560	3000	80	IP65	LED integrated	Graphite	€420	21
OD-102	Pier Bollard 900	10	700	3000	80	IP65	LED integrated	Graphite	€520	21
OD-103	Pier Bollard 600	8	540	2700	80	IP65	LED integrated	Corten	€460	21
OD-104	Pier Bollard 400	6	420	3000	80	IP65	LED integrated	Graphite	€360	21
10	<i>Beam</i> OUTDOOR									23
OD-201	Beam Up/Down 150	12	900	3000	80	IP65	LED integrated	Graphite	€260	23
OD-202	Beam Down 150	6	450	3000	80	IP65	LED integrated	Graphite	€210	23
OD-203	Beam Up/Down 250	20	1500	3000	80	IP65	LED integrated	Graphite	€340	23
OD-204	Beam Up/Down 150	12	880	2700	80	IP65	LED integrated	Corten	€290	23
OD-205	Beam Up/Down 150	12	900	3000	80	IP65	LED integrated	Chalk white	€260	23

*Light is the first material of a room.
Everything else is furniture.*

SALES & SPECIFICATION

sales@nocta-lighting.example
+45 33 12 40 80
nocta-lighting.example

SHOWROOM

Refshalevej 163, 1432 Copenhagen,
Denmark
Mon–Fri 10–18 · Sat by appointment

NOTES

Photometric data measured at 25 °C.
Specifications may change without
notice. IES and LDT files are available on
request.

N O C T A